

# LICENCE

No. 20604

Issued to:  
Applicant:  
**VLUX**  
Industrieweg Roosveld  
3400 LANDEN  
Belgium



Licensee:  
**VLUX**  
route de Yernée, 1  
4480 ENGIS  
Belgium



Product : outdoor lighting  
Trade name(s) : V LUX  
Type(s)/model(s) : Futurix 'x' LED 1201 'y', Futurix 'x' LED 1202 'y', Futurix 'x' LED 1501 'y', Futurix 'x' LED 1502 'y', Futurix 'x' LED 601 'y', Futurix 'x' LED 602 'y', PAS 'x' LED 601 'y', PAS 'x' LED 1201 'y', PAS 'x' LED 1202 'y', PAS 'x' LED 1501 'y', PAS 'x' LED 1502 'y', PAS 'x' LED 602 'y', PLedX 'x' LED 1202 'y', PLedX 'x' LED 1502 'y', PLedX 'x' LED 602 'y'

The product and any acceptable variation thereto is specified in the annex to this licence and the documents therein referred to.

SGS CEBEC hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to the standard specified in annex
- an inspection of the production location
- a certification agreement with the number 939

SGS CEBEC hereby grants the right to use the CEBEC certification mark


The ENEC/CEBEC certification mark may be applied to the product as specified in this licence for the duration of the ENEC/CEBEC certification agreement and under the conditions of the ENEC/CEBEC certification agreement.

This licence is issued on: 19/12/2017

ir. C. Lana,  
Certification Manager



© Only integral publication of this certificate, including the annex, is allowed  
This certificate is only valid combined with the publication on the following web address: [www.sgs.com/ee](http://www.sgs.com/ee)



SGS Belgium NV-Division SGS CEBEC  
Business Riverside Park  
Bld Internationalelaan 55 Build. D  
B-1070 Brussels  
Tel.+32(0)2 556 00 20 Fax.+32(0)2 556 00 36

This certificate is issued by the company under its General Conditions for Certification Services accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitations of liability defined therein and in the Test Report herein mentioned which findings are reflected in this Certificate. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**SPECIFICATION OF THE CERTIFIED PRODUCT**

**Product data**

Product : outdoor lighting

Trade name(s) : V LUX

Type(s)/Model(s) : Futurix 'x' LED 1201 'y'  
 Futurix 'x' LED 1202 'y'  
 Futurix 'x' LED 1501 'y'  
 Futurix 'x' LED 1502 'y'  
 Futurix 'x' LED 601 'y'  
 Futurix 'x' LED 602 'y'  
 PAS 'x' LED 601 'y'  
 PAS 'x' LED 1201 'y'  
 PAS 'x' LED 1202 'y'  
 PAS 'x' LED 1501 'y'  
 PAS 'x' LED 1502 'y'  
 PAS 'x' LED 602 'y'  
 PLedX 'x' LED 1202 'y'  
 PLedX 'x' LED 1502 'y'  
 With 'x' is the description of the cover.(frosted, clear,...) and  
 'y' is the colour temperature(3000,4000,5000 or 6500 K)  
 PLedX 'x' LED 602 'y'

description : LED luminaires

rated voltage (Un) : 220-240 V~

rated frequency : 50/60 Hz

**Product data - type Futurix 'x' LED 601 'y'**

rated power : 16 W

degree of protection : IP66



**Product data - type Futurix 'x' LED 602 'y'**

rated power : 17-23 W  
degree of protection : IP66

**Product data - type Futurix 'x' LED 1201 'y'**

rated power : 19-32 W  
degree of protection : IP66

**Product data - type Futurix 'x' LED 1202 'y'**

rated power : 20-45 W  
degree of protection : IP66

**Product data - type Futurix 'x' LED 1501 'y'**

rated power : 23-41 W  
degree of protection : IP66

**Product data - type Futurix 'x' LED 1502 'y'**

rated power : 28-66 W  
degree of protection : IP66

**Product data - type PAS 'x' LED 601 'y'**

rated power : 16 W  
degree of protection : IP67

**Product data - type PAS 'x' LED 602 'y'**

rated power : 17-23 W  
degree of protection : IP67

**Product data - type PAS 'x' LED 1201 'y'**

rated power : 19-32 W  
degree of protection : IP67

**Product data - type PAS 'x' LED 1202 'y'**

rated power : 20-45 W  
degree of protection : IP67



**Product data - type PAS 'x' LED 1501 'y'**

rated power : 23-41 W  
 degree of protection : IP67

**Product data - type PAS 'x' LED 1502 'y'**

rated power : 28-76 W  
 degree of protection : IP67

**Product data - type PLedX 'x' LED 602 'y'**

rated power : 17-23 W  
 degree of protection : IP66

**Product data - type PLedX 'x' LED 1202 'y'**

rated power : 20-45 W  
 degree of protection : IP66

**Product data - type PLedX 'x' LED 1502 'y'**

rated power : 28-76 W  
 degree of protection : IP66

**TESTS**

**Test requirements**

EN 60598-1:2015  
 EN 60598-2-1:1989

**Test results**

The test results are laid down in certification file 628665/01.

**Remarks**

This certificate is based on test report No. 628665.01.



**Conclusion**

The examination proved that all test requirements were met.

Checked by, project leader : Roald Goossens - 19/12/2017

Department Manager,  
Product Certification :

Certification Manager :





**FACTORY LOCATION(S)**

VLux Werkplaats Hasselt  
Zwarte Brugstraat  
3500 HASSELT  
Belgium