



V LUX

Buba
Bulkhead & bracket

Buba , the multipurpose bulkhead ...

Buba is the new bulkhead range of Vlux.

Thanks to its nice and soft look, Buba suits to all kind of corridors, stairways or lavatories. It is available in 2 sizes, so to offer a large variety of sources, from compact lamps to the T5 circline.

The diffuser is manufactured in polymethylmethacrylate (opal or frosted) or polycarbonate (opal). It is clipped into the base (a), and is designed for IP65 protection. The diffuser is removed with the help of a simple tool (b). The base is injected in polycarbonate, and is standard white. (Transparent and/or coloured are optional).

Buba+, is the clever alternative proposition of the range.

Its pre-wired mounting brackets offer a real advantage in large installations like hospitals, universities, offices or high rises ...

With the bracket mounted during construction, the luminaire can be installed, in a simple click (f), at the very last moment, avoiding damages or vandalism.

Buba+ also makes maintenance very easy, the defective units are simply replaced by a spare unit and fixed in the workshop. The bracket can be made vandal proof by installing a screw. (d).




Electrical specifications:

- Ferromagnetic or HF ballast (depending on lamp type).
- Optional: - emergency module (Buba Large only).*
- motion detector (Buba Large only).*

*: On request, please contact us.



Buba



Buba est la nouvelle applique murale de la gamme Vlux. . Grâce à une esthétique sobre et distinguée, Buba s'adapte à tous les styles ou types d' architecture. La gamme est disponible en deux tailles et propose un large choix de sources possibles. Le diffuseur est livrable en polymethylmethacrylate (opale ou frost) ou polycarbonate (opale).

Il est clipsé dans la base (a), et est conçu pour offrir une protection IP65 (e).

Le diffuseur est ouvert à l'aide d'un outil (b).

La base est injectée en polycarbonate. (couleur et/ou transparence en option).

Buba+, est une extension innovante de la gamme des appliques Vlux. Son étrier de fixation offre un réel avantage lors d'installations de plus grandes ampleurs, tel que les hôpitaux, universités, immeubles d'habitations et autres ... L'étrier est fixé et raccordé au réseau pendant les travaux, le luminaire n'étant installé qu'au dernier moment (f), évitant ainsi dégradations et vandalisme.


Buba+ facilite également l'entretien, les luminaires défectueux étant facilement remplacés et réparés en atelier.

L'étrier peut être sécurisé par une vis "anti-vandale" (d).




Spécifications électriques:

- Ballast ferromagnétique ou électronique (suivant sources).
- Option : - module de secours (Buba Large)*
- détecteur de mouvement (Buba Large)*.

* Sur demande, nous consulter.



... with a big and invisible difference.




1. Bracket is fixed.
2. Wires are attached to connector.
3. Luminaires are safely awaiting finishing construction.
4. Buba+ is clicked on the bracket.

1. Fixation de l'étrier de montage. 2. Raccordement des câbles électriques. 3. Finition des surfaces sans risques pour les luminaires. 4. Buba+ est cliqué sur l'étrier.



technical data



BUBA



Buba Small

Lamp		L	Refl. pos.	Ballast ferro.	Ball. EL
1x 7/9 W	TC-S(el)	250	Low	G23	2G7
1x16 W	TC-DD	250	Low	-	GR10q
1x18 W	TC-D(el)	250	Low	G24d-2	G24q-2
2x 7/9 W*	TC-S(el)	250	Low	G23	2G7

Buba Large

Lamp		L	Refl. pos.	Ballast ferro.	Ball. EL
1x18 W	TC-L	305	Low	2G11	2G11
1x22 W	TR5	305	Low	-	2GX13
1x26W	TC-D(el)	305	Low	G24d-3	G24q-3
1x28 W	TC-DD	305	High	GR8	GR10q
1x38 W*	TC-DD	305	High	-	GR10q
2x11 W	TC-Sel	305	Low	-	2G7
2x18 W	TC-L	305	High	-	2G11

Buba Large Emergency

Lamp		L	Refl. pos.	Batteries	Ballast EL
1x28 W*	TC-DD	305	High	3h.	GR10q
1x18 W*	TC-L	305	High	3h.	2G11

Buba Large Motion Detector

Lamp		L	Refl. pos.	Ballast EL
1x22 W	TR5	305	High	2GX13
1x18 W	TC-L	305	High	2G11

All dimensions are in mm.

*: Ta max. is 25°C.


Buba

Base	PC white*	<input checked="" type="checkbox"/>	PC transparent	<input type="checkbox"/>	PC transp. blue	<input checked="" type="checkbox"/>
Diffuser	PC opal	<input type="checkbox"/>	PMMA opal	<input type="checkbox"/>		

* ral 9003

BUBA+

+ bracket



Buba+ Small

Lamp		L	Ballast EL
1x 7/9 W	TC-Sel	250	2G7
1x16 W	TC-DD	250	GR10q
1x18 W	TC-Del	250	G24q-2
2x 7/9 W*	TC-Sel	250	2G7

Buba+ Large

Lamp		L	Ballast EL
1x18 W	TC-L	305	2G11
1x22 W	TR5	305	2GX13
1x28 W	TC-DD	305	GR10q
1x38 W*	TC-DD	305	GR10q
2x11 W	TC-Sel	305	2G7
2x18 W	TC-L	305	2G11

Buba+ Large Emergency

Lamp		L	Ballast EL	Batt.
1x28 W*	TC-DD	305	GR10q	3h.
1x18 W*	TC-L	305	2G11	3h.

Buba+ Large Motion Detector

Lamp		L	Ballast EL
1x22 W	TR5	305	GR10q
1x18 W	TC-L	305	2G11

All dimensions are in mm.

*: Ta max. is 25°C.

Buba

Base	PC white*	<input checked="" type="checkbox"/>	PC transparent	<input type="checkbox"/>	PC transp. blue	<input checked="" type="checkbox"/>
Diffuser	PC opal	<input type="checkbox"/>	PMMA opal	<input type="checkbox"/>		

* ral 9003



See also our other luminaires on www.vlux.com ...

General purpose lighting



Lili (18-36-58/21-28-35-49W)
Diffuser: PS - PMMA - PC
Tubes : T8 - T5

Downlights



DCH-R 175/205
(13-18-26W)
Housing: metal
Tubes : TC-D - TC-T



DCH-R 170/245
(13-18-26-32-42W)
Housing: metal
Tubes : TC-D - TC-T



DCH-R 200
(13-18-26-32-42W)
Housing: plastic
Tubes : TC-D - TC-T

Office lighting



ECLIPS
(14-24-28W)
Tubes : 2/3/4xT5



WAVE (36-55W)
Tubes : 1/2xTC-L

- Outdoor & indoor light units.
 - Emergency lighting.
 - Blow moulded, injection moulded & extruded plastic parts supplier.
 - SMC (sheet moulding compounds) producer.
-
- *Appareils d'éclairage, intérieur & extérieur.*
 - *Appareils d'éclairage de secours.*
 - *Sous-traitant en pièces plastiques (injection, thermoformage, extrusion, polyester).*
 - *Producteur de SMC (Composite polyester en feuille).*



Industrieweg Roosveld
B-3400 Landen
Tel. :32 (0) 11.88.09.00
Fax:32 (0) 11.83.22.22
www.vlux.com

The liabilities are bound to the published informations, which might be modified without notice.
Les informations fournies dans cette brochure sont données à titre d'exemple et peuvent être modifiées.

